

SAFETY DATA SHEET #2909
REVISION #1
DATE REVISED: 06/15/2022

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name(s): LEAK SEEKER® or GLOW-MAXX®
Uses: LEAK DETECTION POWDER IN A VARIETY OF APPLICATIONS.
Generic Name: **CAS:** 14808-60-7
Chemical Name: DOLOMITE AND PIGMENT **EINECS:** UNKNOWN **Manufacturer:**
 Micronics Engineered Filtration Group **Formula:** CaCO₃ – 54.1%, MgCO₃ – 43.9%
Address: 309 N BRADDOCK STREET **Telephone:** (800) 336-7300
City: WINCHESTER **State:** VA **Zip:** 22601 **Emergency:** CHEMTREC – USA: (800) 424-9300
International: +01 (703) 527-3887 (collect)

2. HAZARD IDENTIFICATION

2.1 GHS CLASSIFICATION:

PHYSICAL AND CHEMICAL HAZARDS: NO CLASSIFICATION
 HUMAN HEALTH: NO CLASSIFICATION
 ENVIRONMENT: NO CLASSIFICATION

2.2 Label Elements:

- PICTOGRAM NONE
- SIGNAL WORD NONE
- HAZARD STATEMENT NONE
- PRECAUTIONARY STATEMENTS NONE

PROLONGED AND REPEATED EXPOSURE TO EXCESSIVE CONCENTRATIONS OF THIS PRODUCTS DUST, OR ANY NUISANCE DUST, CAN CAUSE CHRONIC PULMONARY DISEASE. DUST CONTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS OR REDNESS. THIS PRODUCT HAS NOT BEEN CLASSIFIED AS A CARCINOGEN BY NTP OR IARC.

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME:	CAS NUMBER:	%	PEL AND TLV (except as noted)
RESPIRABLE QUARTZ	14808-60-7	100	0.05 mg RESPIRABLE NUISANCE DUST/m ³ , OSHA (10 mg RESPIRABLE DUST/m ³ /% SILICA + 2)

4. FIRST AID MEASURES

Inhalation: REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST.

Eyes: FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

Skin Contact: NA

Skin Absorption: NA

Ingestion: NA

5. FIRE FIGHTING MEASURES

Flash Point (Method): NONFLAMMABLE

NFPA Flammable/Combustible Liquid Classification: NA

Flammable Limits: LEL: NA UEL: NA

Auto-Ignition Temperature: NA

Extinguishing Media: NA

Unusual Fire or Explosion Hazards: NONE **Special Fire-Fighting Procedure:** NONE

6. ACCIDENTAL RELEASE MEASURES

Procedure for Spill/ Leak: VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH AS WATER IF SWEEPING IS NECESSARY.

7. HANDLING AND STORAGE

MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST. AVOID CONTACT WITH EYES. SEAL BROKEN BAGS IMMEDIATELY. CONTINUE TO FOLLOW ALL SDS / LABEL WARNING WHEN HANDLING EMPTY CONTAINERS.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Goggles: GOGGLES OR SAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED.

Gloves: NOT NORMALLY REQUIRED.

Respirator: <10X PEL, USE AN N95 QUARTER OR HALF MASK RESPIRATOR; <50X PEL, USE A FULL FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE) WITH N95 FILTERS; >200X PEL, USE A FULL FACE, TYPE C SUPPLIED AIR RESPIRATOR (CONTINUOUS FLOW MODE).

Ventilation: USE SUFFICIENT NATURAL OR MECHANICAL VENTILATION TO KEEP DUST LEVEL BELOW PEL.

OSHA PEL – (10 mg RESPIRABLE DUST/m³/% SILICA + 2)

ACGIH TLV – 0.05mg TOTAL NUISANCE DUST/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: COLORED POWDERY SOLID, NO ODOR.

Boiling Point:	NA	Evaporation Rate (=1):	NA	Specific Gravity (water = 1):	2.2-2.4
Vapor Pressure:	NA	Melting Point:	2000 F	Specific Gravity (bulk):	.08-.20
Water Solubility (%):	NEGLIGIBLE	Vapor Density (Air=1):	NA	% Volatile by Volume:	NIL
				pH:	6.5-7.5

10. STABILITY AND REACTIVITY

MATERIAL IS STABLE.

HAZARDOUS POLYMERIZATION CANNOT OCCUR

Chemical Incompatibilities: FLOURIDE, BORON TRIFLUORIDE, CHLORINE TRIFLUORIDE, MANGANESE TRIFLUORIDE, AND OXYGEN DEFLUORIDE. **Conditions to Avoid:** NONE IN DESIGNED USE. AVOID CONTACT WITH LISTED MATERIALS.

11. TOXICOLOGY INFORMATION

Summary: PROLONGED AND REPEATED EXPOSURE TO EXCESSIVE CONCENTRATIONS OF THIS PRODUCT'S DUST, OR ANY NUISANCE DUST, CAN CAUSE CHRONIC PULMONARY DISEASE. DUST CONTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS OR REDNESS. THIS PRODUCT HAS NOT BEEN CLASSIFIED AS A CARCINOGEN BY NTP OR IARC.

12. ECOLOGICAL INFORMATION

GENERALLY CONSIDERED CHEMICALLY INERT IN THE ENVIRONMENT. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY

13. DISPOSAL CONSIDERATIONS

WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY, CONSULT LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY.

14. TRANSPORTATION INFORMATION

D.O.T. Proper Shipping Name: AMORPHOUS ALUMINA SILICATE CRUDE

Hazard Classification: Not Classified

Reportable Quantities: NA

UN (United Nations), NA (North America) Number: NA

15. REGULATORY INFORMATION

OSHA Hazard Communications Standard, 29 CFR 1910.1200: MATERIAL IS NOT CONSIDERED HAZARDOUS, SEE SECTION 3.

RCRA: THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261.

TSCA: THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12.


CERCLA: MATERIAL IS NOT REPORTABLE UNDER CERCLA, LOCAL REQUIREMENTS MAY VARY.

SARA: 311/312 HAZARD CATEGORIES -IMMEDIATE AND DELAYED HEALTH, 313 REPORTABLE INGREDIENTS - NONE.

Canada: THIS PRODUCT IS LISTED ON THE DSL.

California Proposition 65: NOT APPLICABLE.

EU (REGULATION (EC) N° ° 1272/2008): THIS MATERIAL IS LABELED AND SUPPORTED ACCORDINGLY WITH GHS STANDARDS.

16. OTHER INFORMATION

NFPA FIRE HAZARD SYMBOL™
See NFPA 704 for detailed explanation.



HEALTH	*	1
FLAMMABLE		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		E

Revisions Made Since Last Version: Compliance with 29 CFR 1910.1200 (OSHA) Hazard Communication Standard.

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given. End of SDS.